





<b>System Model</b>	<b>ES-2-230</b>	
<b>System Performance</b>	<b>Metric</b>	<b>British</b>
<b>Rated Random/Sine Force</b>	2 kN	440 lbf
<b>Rated Shock Force</b>	4 kN	880 lbf
<b>Usable Frequency</b>	3-2500 Hz	3-2500 Hz
<b>Maximum Velocity</b>	1.5 m/s	59.1 in/s
<b>Maximum Acceleration</b>	250 m/s <sup>2</sup>	25 g
<b>Maximum Payload</b>	140 kg	308 lbs
<b>Resonance Frequency</b>	2700±5% Hz	2700±5% Hz
<b>Maximum Displacement p-p</b>	40 mm	1.6 in
<b>Shaker Model</b>	<b>ET-2</b>	
<b>Mass of Moving Elements</b>	8 kg	17.6 lbs
<b>Armature Diameter</b>	230 mm	9 in
<b>Weight</b>	About 430 kg	About 948 lbs
<b>Body Suspension Natural Frequency</b>	3 Hz	3 Hz
<b>Dimension L×W×H</b>	764×530×698 mm	30×20.9×24.5 in
<b>Power Amplifier Model</b>	<b>DA-2</b>	
<b>Power</b>	2 kVA	2 kVA
<b>Weight</b>	About 200 kg	About 441 lbs
<b>Power Supply Requirement</b>	5.5 kVA	5.5 kVA
<b>Dimension L×W×H</b>	545×720×1295 mm	21.5×28.3×51 in
<b>Cooling Type</b>	<b>Air Cooling</b>	
<b>Blower Model</b>	<b>B-200</b>	
<b>Power</b>	0.75 kW	1 hp
<b>Air Flow</b>	0.1 m <sup>3</sup> /s	100 l/s
<b>Air Pressure</b>	1 kPa	0.145 psi
<b>Weight</b>	30 kg	66 lbs



Shaker ET-2/3-230



Power Amplifier DA-2/3



Blower B-200